


Urinary Tract Infections




UTIs AND CATHETER-ASSOCIATED UTIs (CAUTIs) ARE A PATIENT SAFETY CONCERN IN ACUTE AND NON-ACUTE HOSPITALS, CARE HOMES AND CARE AT HOME.

UTI ANTIMICROBIAL RESISTANCE SURVEILLANCE



URINARY ISOLATES ARE LIKELY TO REFLECT RESISTANCE TO COMMONLY PRESCRIBED ANTIBIOTICS.




33452 URINARY ISOLATES TESTED IN 2015 AND 2016

70.3% WERE *E. COLI*


5.1% WERE *K. PNEUMONIAE*

RESISTANCE (%) IN *E. COLI* URINARY ISOLATES, 2015-2016



* RESISTANCE DATA FOR 2015 UNAVAILABLE, DATA FOR NHS GGC HAS BEEN EXCLUDED DUE TO A TEMPORARY ISSUE WITH DATA TRANSFER


RESISTANCE (%) IN *K. PNEUMONIAE* URINARY ISOLATES, 2015-2016



* RESISTANCE DATA FOR 2015 UNAVAILABLE, DATA FOR NHS GGC HAS BEEN EXCLUDED DUE TO A TEMPORARY ISSUE WITH DATA TRANSFER

THE **SCOTTISH UTI NETWORK (SUTIN)** WAS ESTABLISHED TO REDUCE UTI IN SCOTLAND THROUGH:

SURVEILLANCE



GUIDANCE



IMPROVEMENT



EDUCATION & TRAINING



RESEARCH

